




**Tomer
Machines**
Mfrs. Wire Drawing Machine & Cable Machinery

Tomer



www.tomermachines.com

**Tomer
Machines**
Mfrs. Wire Drawing Machine & Cable Machinery

Address : Plot No. B-5 & 6, Sector B3, UPSIDC, Tronica City, Loni, Ghaziabad-2011102 (U.P.) India

Mobile : +91-9810346730, 9818832934

E-mail : tomermachines@gmail.com, Web : www.tomermachines.com

Karoliya Advt. : +91-991117156, 9891142254



Products Range

- Wire Drawing Machinery
- Dry Machine
- Wet Drawing Machine
- Dead Block Coilers
- Spoolers For Spools
- Complete Lines
- Furnaces
- Stranding Machines
- Wire Flattening Mill
- Turnkey Plants
- Accessories

**GOOD
QUALITY
IS OUR REFLECTION**

About Us

Tomer Machines Manufacturer's Group Have 30 Year Vast Experience In Wire Drawing And Cable Machines Manufacturing Industry In India. Today it enjoy a hard earned reputation for its quality and after sales services. TM's vast experience and skill has evolved from its constant interaction with the wire industries and has provided the confidence and technique to offer the most up-to-date economical answer to any wire processing requirement. TM's statue as the trend setter in wire drawing & cable machinery manufacturing industry. TM is conveniently located on the outskirts of Delhi at Trans Delhi signature city an industrial suburb of national capital region a mere 20 minute drive from Delhi Signature Bridge. TM's entire manufacturing program is manned and managed by highly qualified and well trained personnel. Today TM has became one of the leading names in India as well as a broad as manufacturers of superior quality wire drawing, wire cutting and wire cable machineries.




KRISHAN TOMER
(Director)

with the highest degree of dedication in the manufacturing of high quality products, comfortable price structure and loyal business punctuality, we have placed our firm in the respected list of the manufacturer and supplier of wire and cable machineries in india.

Vision & Mission


Our mission is to produce and continuously develop quality products at a very competitive price while fostering a climate where environmental technologies can thrive. We will always strive to service our customer with the utmost integrity, and to their complete satisfaction.

B.B BLOCK



DRY BLOCK WIRE DRAWING MACHINE

For S.S., H.C., Mild Steel Wire



Specifications

Model No.	TM 1000	TM 760	TM 610	TM 560	TM 450	TM 400	TM 305
INLET	16.00MM	8.00MM	6.60MM	5.50MM	4.00MM	3.00MM	2.00MM

INTERMEDIATE WIRE DRAWING MACHINE

Four Spindle



Specifications

For Copper Wire	TM 312/13	TM 312/15	TM 312/17	TM 312/21
Inlet Size	3.25mm	3.00mm	2.5mm	2.00mm
Outlet Size	1.2mm	0.75mm	0.5mm	0.3mm
For Aluminium Wire				
Inlet Size	4.00mm	4.00mm	4.00mm	4.00mm
Outlet Size	1.3mm	1mm	0.8mm	0.55mm
For MS Wire				
Inlet Size	2.00mm	2.00mm	2.00mm	2.00mm
Outlet Size	0.65mm	0.6mm	0.5mm	0.36mm
For Hi-Carbon Wire				
Inlet Size	2.00mm	2.00mm	2.00mm	2.00mm
Outlet Size	0.7mm	0.65mm	0.55mm	0.4mm
For Stainless Steel Wire / Nicron Wire				
Inlet Size	1.62mm	1.4mm	1.2mm	1.00mm
Outlet Size	0.55mm	0.45mm	0.3mm	0.18mm

INTNERMEDIATE WIRE DRAWING MACHINE

Four Spindle / Small RBD




Specifications

For Copper Wire	TM 314/17	
Inlet Size	6mm	4mm
Outlet Size	0.7mm	0.9mm
For Aluminium Wire		
Inlet Size	7mm	4mm
Outlet Size	0.8mm	0.9mm

INTERMEDIATE WIRE DRAWING MACHINE

Two Spindle Intermediate 11 Die (For Copper Wire)



Specifications

For Copper Wire	TM 312/11
Inlet Size	3.6mm
Outlet Size	1.35mm
For Aluminium Wire	
Inlet Size	5.4mm
Outlet Size	1.62mm

INTERMEDIATE WIRE DRAWING MACHINE

Two Spindle Intermediate 11 Die (For Copper Wire)




Specifications

For Copper Wire	TM 309/23	
Inlet Size	1.60mm	1.0mm
Outlet Size	0.20mm	0.140mm
For Aluminium Wire		
Inlet Size	1.60mm	1.0mm
Outlet Size	0.20mm	0.140mm
For MS Wire		
Inlet Size	1.20mm	0.80mm
Outlet Size	0.17mm	0.110mm
For Hi-Carbon Wire		
Inlet Size	1.20mm	1.0mm
Outlet Size	0.190mm	0.150mm
For Stainless Steel Wire / Micron Wire		
Inlet Size	1.20mm	1.0mm
Outlet Size	0.190mm	0.150mm

WET WIRE DRAWING MACHINE

4 Spindle 24 Die for Fine Wire




Specifications

For Copper Wire	TM-B-24
Inlet Size	1.62mm
Outlet Size	0.20mm
Inlet Size	1.20mm
Outlet Size	0.70mm
Inlet Size	0.8mm
Outlet Size	0.101mm

ROD BREAK DOWN MACHINE

For Copper & Aluminum Wire



Specifications

For Copper Wire	TM 314/8	TM 314/9	TM 314/10	TM 314/11	TM 314/12	TM 314/13
Inlet Size	8.0mm	8.0mm	8.0mm	8.0mm	8.0mm	8.0mm
Outlet Size	2.50mm	2.20mm	1.90mm	1.62mm	1.40mm	1.25mm
For Aluminium Wire						
Inlet Size	9.50mm	9.50mm	9.50mm	9.50mm	9.50mm	9.50mm
Outlet Size	3.00mm	2.60mm	2.25mm	1.95mm	1.70mm	1.50mm




DROP COILER

For Copper & Aluminum Wire
S.S Wire & M.S Wire



STRANDING MACHINE

Din - 630mm





Specifications

Conductor Twisting	Minimum Wire Size	Maximum Wire Size	Spool Size
61 Stand	70 Sqmm	630 Sqmm	630mm

Machine Twisting Conductor Size :

70, 95, 120, 150, 185, 240, 300, 400, 630 Sqmm

TAKE UP UNIT



**1+6 SKIP
BOW TWISTER**
Din - 630mm



**TAKE UP
UNIT**

Specifications

Conductor Twisting	Minimum Wire Size	Maximum Wire Size	Spool Size
7 Stand	1.71mm	4.16mm	630mm

Machine Twisting Conductor Size :
16, 25, 35, 50, 70, 95 Sqmm Only 7 Wire

6-BLOCK TROLL ROD WIRE MACHINE

CONTACT WIRE


Specifications

TM-6 TRM	For Copper Wire
Inlet	26mm
Outlet	16.4mm
Inlet	19.6mm
Outlet	12.24mm



ROD BREAK DOWN MACHINE FOUR SPINDLE

For Copper & Aluminum Wire



Specifications

Model No.	TM 317/17	Model No.	TM 317/17
Inlet	8.00mm	Inlet Size	9.50mm
Outlet	0.90mm	Outlet Size	1.1mm

DIE THREADING CUM POINTING MACHINE

For Copper & Aluminum 9.50x2.00mm
S.S. Wire & M.S Wire 5.5x2.00mm



SPOOLER

Capacity
400 / 1000 mm


COPPER WIRE MACHINE



Specifications

TM-317/2	For Copper Wire	
Intel	8mm	5.4mm
Outlet	5.4mm	3.65mm

ALUMINIUM WIRE MACHINE




Specifications

TM-610/3	For Aluminium Wire	
Intel	9.5mm	
Outlet	5.35mm	


OUR SPARE PARTS



Wire Rewinding Pay Off Vertical



Strip Rewinding Pay Off Horizontal



Pay Off Pintal Type



Pay Off RBD



630 Wire Spool



Flyer



Striper



Coil Binding



D-Scale



RBD Pay off



Pointing Machine



Pneumatic Brake

NOTES

CONVERSION TABLE

CONVERSION TABLE

S.W.G.	MM	INCHES	S.W.G.	MM	INCHES
7/0	12.700	0.500	12.25	2.566	0.10100
6/0	11.786	0.464	12.50	2.490	0.09800
5/0	10.160	0.432	12.75	2.413	0.09500
4/0	10.160	0.400	13.00	2.337	0.09200
3/0	9.449	0.372	13.25	2.261	0.08900
2/0	8.839	0.348	13.50	2.185	0.08600
1/0	8.230	0.324	13.75	2.108	0.08300
1.00	7.620	0.30000	14.00	2.032	0.08000
1.25	7.468	0.29400	14.25	1.982	0.07800
1.50	7.315	0.28800	14.50	1.932	0.07600
1.75	7.163	0.28200	14.75	1.879	0.07400
2.00	7.010	0.27600	15.00	1.829	0.07200
2.25	6.859	0.27000	15.25	1.778	0.07000
2.50	6.705	0.26400	15.50	1.727	0.06800
2.75	6.553	0.25800	15.75	1.676	0.06600
3.00	6.401	0.25200	16.00	1.626	0.06400
3.25	6.274	0.24700	16.25	1.575	0.06200
3.50	6.147	0.24200	16.50	1.524	0.06000
3.75	6.020	0.23700	16.75	1.437	0.05800
4.00	5.893	0.23200	17.00	1.422	0.05600
4.25	5.766	0.22700	17.25	1.371	0.05400
4.50	5.639	0.22200	17.50	1.320	0.05200
4.75	5.512	0.21700	17.75	1.269	0.05000
5.00	5.385	0.21200	18.00	1.219	0.04800
5.25	5.258	0.20700	18.25	1.167	0.04600
5.50	5.131	0.20200	18.50	1.117	0.04400
5.75	5.004	0.19700	18.75	1.066	0.04200
6.00	4.887	0.19200	19.00	1.016	0.04000
6.25	4.775	0.18800	19.25	0.991	0.03900
6.50	4.674	0.18400	19.50	0.965	0.03800
6.75	4.572	0.18000	19.75	0.939	0.03700
7.00	4.470	0.17600	20.00	0.914	0.03600
7.25	4.369	0.17200	20.25	0.889	0.03500
7.50	4.267	0.16800	20.50	0.864	0.03400
7.75	4.166	0.16400	20.75	0.838	0.03300
8.00	4.064	0.16000	21.00	0.813	0.03200
8.25	3.962	0.15600	21.25	0.788	0.03100
8.50	3.861	0.15200	21.50	0.762	0.03000
8.75	3.760*	0.14800	21.75	0.737	0.02900
9.00	3.658	0.14400	22.00	0.711	0.02800
9.25	3.556	0.14000	22.25	0.686	0.02700
9.50	3.454	0.13600	22.50	0.660	0.02600
9.75	3.353	0.13200	22.75	0.635	0.02500
10.00	3.251	0.12800	23.00	0.610	0.02400
10.25	3.175	0.12500	23.25	0.597	0.02350
10.50	3.094	0.12200	23.50	0.584	0.02300
10.75	3.023	0.11900	23.75	0.571	0.02250
11.00	2.946	0.11600	24.00	0.559	0.02200
11.25	2.871	0.11300	24.25	0.546	0.02150
11.50	2.794	0.11000	24.50	0.533	0.02100
11.75	2.781	0.10700	24.75	0.520	0.02050
12.00	2.642	0.10400	25.00	0.508	0.02000

S.W.G.	MM	INCHES	S.W.G.	MM	INCHES
25.25	0.493	0.1950	38.25	0.147	0.00580
25.50	0.482	0.01900	38.50	0.142	0.00560
25.75	0.469	0.01850	38.75	0.137	0.00540
26.00	0.457	0.01800	39.00	0.132	0.00520
26.25	0.447	0.01760	39.25	0.129	0.00510
26.50	0.437	0.01720	39.50	0.126	0.00500
26.75	0.427	0.01680	39.75	0.124	0.00490
27.00	0.417	0.01640	40.00	0.122	0.00480
27.25	0.407	0.01600	40.25	0.119	0.00470
27.50	0.397	0.01560	40.50	0.117	0.00460
27.75	0.386	0.01520	40.75	0.114	0.00450
28.00	0.376	0.01480	41.00	0.112	0.00450
28.25	0.368	0.01450	41.25	0.109	0.00440
28.50	0.360	0.01420	41.50	0.107	0.00420
28.75	0.352	0.01390	41.75	0.104	0.00410
29.00	0.345	0.01360	42.00	0.102	0.00400
29.25	0.337	0.01330	42.25	0.099	0.00390
29.50	0.329	0.01300	42.50	0.097	0.00380
29.75	0.322	0.01270	42.75	0.094	0.00370
30.00	0.315	0.01240	43.00	0.091	0.00360
30.25	0.310	0.01220	43.25	0.089	0.00350
30.50	0.305	0.01200	43.50	0.086	0.00340
30.75	0.300	0.01180	43.75	0.084	0.00330
31.00	0.295	0.01160	44.00	0.081	0.00320
31.25	0.290	0.01140	44.25	0.079	0.00310
31.50	0.285	0.01120	44.50	0.076	0.00300
31.75	0.279	0.01100	44.75	0.074	0.00290
32.00	0.274	0.01080	45.00	0.071	0.00280
32.25	0.269	0.01060	45.25	0.069	0.00270
32.50	0.264	0.01040	45.50	0.065	0.00260
32.75	0.259	0.01020	45.75	0.063	0.00250
33.00	0.254	0.01000	46.00	0.061	0.00240
33.25	0.249	0.00980	46.25	0.059	0.00230
33.50	0.244	0.00960	46.50	0.056	0.00220
33.75	0.239	0.00940	46.75	0.054	0.00210
34.00	0.234	0.00920	47.00	0.051	0.00200
34.25	0.229	0.00900	47.25	0.049	0.00190
34.50	0.224	0.00880	47.50	0.046	0.00180
34.75	0.218	0.00860	47.75	0.044	0.00170
35.00	0.213	0.00840	48.00	0.041	0.00160
35.25	0.208	0.00820	48.25	0.038	0.00150
35.50	0.203	0.00800	48.50	0.035	0.00140
35.75	0.198	0.00780	48.75	0.032	0.00130
36.00	0.193	0.00760	49.00	0.030	0.00120
36.25	0.188	0.00740	49.25	0.028	0.00115
36.50	0.183	0.00720	49.50	0.027	0.00110
36.75	0.178	0.00700	49.75	0.026	0.00105
37.00	0.173	0.00680	50.00	0.025	0.00100
37.25	0.168	0.00660			
37.50	0.163	0.00640			
37.75	0.157	0.00620			
38.00	0.152	0.00600			